

2022 PRO SERIES

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO NEAREST 1/2 POUND.

PEAK WEIGHT	STEALTH MACH 1	LEVITATE	LEVITATE	EVO XF 30	EVO XF 30	EVO XF 30	EVO XF 33	EVO XF 33	EVO XF 33	XPEDITE NXT	EVO NTN	BANDIT NXT	DRIVE NXT	EMBARK
	EC CAM	E2 CAM	S2 CAM	E2 CAM	S2 CAM	EC CAM	E2 CAM	S2 CAM	EC CAM	EC CAM	EC CAM	EM CAM	ZF CAM	ZF CAM
LIMB BOLT TURNS:	10	10	10	10	10	10	10	10	10	10	10	10	10	10
% ADJUST FROM PEAK	26%	27%	27%	27%	27%	27%	27%	27%	27%	26%	26%	26%	40%	35%
80 lbs.	80 to 59	80 to 58	80 to 58	80 to 58	80 to 58	80 to 58	80 to 58	80 to 58	80 to 58	80 to 59	80 to 58			
70 lbs.	70 to 52	70 to 51	70 to 51	70 to 51	70 to 51	70 to 51	70 to 51	70 to 51	70 to 51	70 to 52	70 to 50.5		70 to 42	70 to 45.5
65 lbs.	65 to 48									65 to 48	65 to 47			
60 lbs.	60 to 44	60 to 43.5	60 to 43.5	60 to 43.5	60 to 43.5	60 to 43.5	60 to 43.5	60 to 43.5	60 to 43.5	60 to 44	60 to 43	60 to 44.5	60 to 36	60 to 39
50 lbs.	50 to 37											50 to 36		
40 lbs.												40 to 29		

*Draw Weight varies with Draw Length setting

DRAW SETTING	STEALTH MACH 1	LEVITATE	LEVITATE	EVO XF 30	EVO XF 30	EVO XF 30	EVO XF 33	EVO XF 33	EVO XF 33	XPEDITE NXT	EVO NTN	BANDIT NXT	DRIVE NXT	EMBARK
	EC CAM	E2 CAM	S2 CAM	E2 CAM	S2 CAM	EC CAM	E2 CAM	S2 CAM	EC CAM	EC CAM	EC CAM	EM CAM	ZF CAM	ZF CAM
A	30 1/2	31 1/2	29	31 1/2	29	30 1/2	32 1/2	30	31 1/2	30	32	26	31	30 1/2
B	30	31	28 1/2	31	28 1/2	30	32	29 1/2	31	29 1/2	31 1/2	25 1/2	30 1/2	30
C	29 1/2	30 1/2	28	30 1/2	28	29 1/2	31 1/2	29	30 1/2	29	31	25	30	29 1/2
D	29	30	27 1/2	30	27 1/2	29	31	28 1/2	30	28 1/2	30 1/2	24 1/2	29 1/2	29
E	28 1/2	29 1/2	27	29 1/2	27	28 1/2	30 1/2	28	29 1/2	28	30	24	29	28 1/2
F	28	29	26 1/2	29	26 1/2	28	30	27 1/2	29	27 1/2	29 1/2	23 1/2	28 1/2	28
G	27 1/2	28 1/2	26	28 1/2	26	27 1/2	29 1/2	27	28 1/2	27	29	23	28	27 1/2
H	27	28	25 1/2	28	25 1/2	27	29	26 1/2	28	26 1/2	28 1/2	22 1/2	27 1/2	27
I	26 1/2	27 1/2	25	27 1/2	25	26 1/2	28 1/2	26	27 1/2	26	28	22	27	26 1/2
J	26					26			27	25 1/2	27 1/2	21 1/2	26 1/2	26
K	25 1/2					25 1/2			26 1/2	25	27	21	26	25 1/2
L	25					25			26	24 1/2	26 1/2	20 1/2	25 1/2	25
M													25	24 1/2
N													24 1/2	24
O													24	23 1/2

DRAW LENGTHS ARE APPROXIMATE.

2022 PRO SERIES

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO NEAREST 1/2 POUND.

PEAK WEIGHT	STEALTH MACHI	EVO EVL32	EVO EVL34	EVO EVL34	XPEDITE NXT	EVONTN	BANDIT NXT	DRIVE NXT	EMBARK
	EC CAM	EC CAM	EC CAM	SE CAM	EC CAM	EC CAM	EM CAM	ZFCAM	ZFCAM
LIMB BOLT TURNS:	10	10	10	10	10	10	10	10	10
% ADJ UST FROM PEAK	26%	27%	27%	27%	26%	26%	26%	40%	35%
80 lbs.	80 to 59	80 to 58	80 to 58	80 to 58	80 to 59	80 to 58			
70 lbs.	70 to 52	70 to 51	70 to 51	70 to 51	70 to 52	70 to 50.5		70 to 42	70 to 45.5
65lbs	65 to 48	65 to 47.5	65 to 47.5	65 to 47.5	65 to 48	65 to 47			
60 lbs.	60 to 44	60 to 43.5	60 to 43.5	60 to 43.5	60 to 44	60 to 43	60 to 44.5	60 to 36	60 to 39
50 lbs.	50 to 37	50 to 36.5	50 to 36.5	50 to 36.5			50 to 36		
40 lbs.							40 to 29		

*Draw Weight varies with Draw Length setting

DRAW SETTING	STEALTH MACHI	EVO EVL32	EVO EVL34	EVO EVL34	XPEDITE NXT	EVONTN	BANDIT NXT	DRIVE NXT	EMBARK
	EC CAM	EC CAM	EC CAM	SE CAM	EC CAM	EC CAM	EM CAM	ZFCAM	ZFCAM
A	30 1/2	30 1/2	31 1/2	30	30	32	26	31	30 1/2
B	30	30	31	29 1/2	29 1/2	31 1/2	25 1/2	30 1/2	30
C	29 1/2	29 1/2	30 1/2	29	29	31	25	30	29 1/2
D	29	29	30	28 1/2	28 1/2	30 1/2	24 1/2	29 1/2	29
E	28 1/2	28 1/2	29 1/2	28	28	30	24	29	28 1/2
F	28	28	29	27 1/2	27 1/2	29 1/2	23 1/2	28 1/2	28
G	27 1/2	27 1/2	28 1/2	27	27	29	23	28	27 1/2
H	27	27	28	26 1/2	26 1/2	28 1/2	22 1/2	27 1/2	27
I	26 1/2	26 1/2	27 1/2	26	26	28	22	27	26 1/2
J	26	26	27	25 1/2	25 1/2	27 1/2	21 1/2	26 1/2	26
K	25 1/2	25 1/2	26 1/2	25	25	27	21	26	25 1/2
L	25	25	26	24 1/2	24 1/2	26 1/2	20 1/2	25 1/2	25
M								25	24 1/2
N								24 1/2	24
O								24	23 1/2

DRAW LENGTHS ARE APPROXIMATE.

2022 CORE SERIES

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO NEAREST 1/2 POUND.

PEAK WEIGHT	BRUTE ATK	STINGER ATK	UPRISING	MINI BURNER	MICRO MIDAS
	AF CAM	AS CAM	UP CAM	MB CAM	MM CAM
LIMB BOLT TURNS:	10	10	8	10	8
% ADJUST FROM PEAK	42%	42%	80%	87%	73%
70 lbs.	70 to 41	70 to 41	70 to 12*		
60 lbs.	60 to 35	60 to 35			
55 lbs.		50 to 29			
50 lbs.					
40 lbs.				40 to 5*	
29 lbs.					29 to 7*

*Draw Weight varies with Draw Length setting

DRAW SETTING	BRUTE ATK	STINGER ATK
	AF CAM	AS CAM
A	30 1/2	30
B	30	29 1/2
C	29 1/2	29
D	29	28 1/2
E	28 1/2	28
F	28	27 1/2
G	27 1/2	27
H	27	26 1/2
I	26 1/2	26
J	26	25 1/2
K	25 1/2	25
L	25	24 1/2
M	24 1/2	24
N	24	23 1/2
O	23 1/2	23
P	23	

DRAW LENGTHS ARE APPROXIMATE.

2022 CORE SERIES

DRAW WEIGHTS ARE ± 2 POUNDS & ROUNDED TO NEAREST 1/2 POUND.

PEAK WEIGHT	BRUTE NXT	STINGER MAX	UPRISING	MINI BURNER	MICRO MIDAS	MUDDAWG	D3
	BTCAM	SSCAM	UPCAM	MB CAM	MM CAM	BF CAM	D3CAM
LIMB BOLT TURNS:	8	15	8	10	8	13	8
% ADJUST FROM PEAK	63%	60%	80%	87%	73%	35%	85%
70 lbs.	70 to 27*	70 to 28	70 to 12*				
60 lbs.							
55 lbs.	55 to 20*	55 to 22					
so lbs.							
40 lbs.				40 to 5*		40 to 26	40 to 6*
29 lbs.					29 to 7*		

*Draw Weight varies with Draw Length setting

DRAW SETTING	BRUTE NXT
	BTCAM
A	30
B	29 1/2
C	29
D	28 1/2
E	28
F	27 1/2
G	27
H	26 1/2
I	26
J	25 1/2
K	25
L	24 1/2
M	24
N	23 1/2
O	23
P	22 1/2

DRAW LENGTHS ARE APPROXIMATE.

Stinger Max

STINGER MAX - 55# PEAK PERFORMANCE CABLE SETTINGS				STINGER MAX - 55# PEAK "GROW WITH YOU" CABLE SETTINGS			
Inner Cam Stop Setting	Draw Length Setting	Draw Weight at Bottom	Draw Weight 15 Turns Off	Inner Cam Stop Setting	Draw Length Setting	Draw Weight at Bottom	Draw Weight 15 Turns Off
A	30	55	35	A	29-1/2	49-1/2	33
B	29-1/2	55	35	B	29	49-1/2	31-1/2
C	29	55	35	C	28-1/2	49	31
D	28-1/2	55	35	D	28	49	31
E	28	55	35	E	27-1/2	48	30-1/2
F	27-1/2	55	35	F	27	48	30-1/2
G	27	55	35	G	26-1/2	47-1/2	30
H	26-1/2	55	35	H	25-7/8	47-1/2	30
I	26	55	35	I	25-1/4	46	29-1/2
J	25-1/2	55	35	J	24-3/4	45	29
K	25	55	35	K	24	44	28
L	24-1/2	55	35	L	23-1/2	43-1/2	27
M	24	55	35	M	23	42	26
N	23-1/2	55	35	N	22-1/2	40-1/2	25-1/2
O	23	55	35	O	22	39	24-1/2
P	22-1/2	55	35	P	21-1/2	38	23

STINGER MAX - 70# PEAK PERFORMANCE CABLE SETTINGS				STINGER MAX - 70# PEAK "GROW WITH YOU" CABLE SETTINGS			
Inner Cam Stop Setting	Draw Length Setting	Draw Weight at Bottom	Draw Weight 15 Turns Off	Inner Cam Stop Setting	Draw Length Setting	Draw Weight at Bottom	Draw Weight 15 Turns Off
A	30	70	45	A	29-1/2	62	40
B	29-1/2	70	45	B	29	61-1/2	40
C	29	70	45	C	28-1/2	61	39
D	28-1/2	70	45	D	28	60-1/2	39
E	28	70	45	E	27-1/2	60-1/2	38-1/2
F	27-1/2	70	45	F	27	60-1/2	38
G	27	70	45	G	26-1/2	60	37-1/2
H	26-1/2	70	45	H	26	60	36-1/2
I	26	70	45	I	25-1/2	59	36
J	25-1/2	70	45	J	25	58-1/2	35-1/2
K	25	70	45	K	24-1/2	57	35
L	24-1/2	70	45	L	24	55	34-1/2
M	24	69-1/2	45	M	23-1/2	53	33-1/2
N	23-1/2	69-1/2	45	N	23	51-1/2	32-1/2
O	23	69-1/2	45	O	22-1/2	50	31
P	22-1/2	69-1/2	45	P	22	48	30

*Draw lengths and draw weight are approximate.

<i>Uprising (70#)</i>		
Draw Length (in)	Draw Weight (lbs)	
	at Bottom	8 turns out
30	70	38
29	68	37
28	66	35
27	64	34
26	63	32
25	61	31
24	59	29
23	57	28
22	55	27
21	53	25
20	51	24
19	49	22
18	48	21
17	46	19
16	44	18
15	42	16
14	40	15

*Draw Length and Draw Weights are approximate. May vary.



To adjust draw length, simply place the screw in the desired draw length on each cam.

<i>D3 (40#)</i>		
Draw Length (in)	Draw Weight (lbs)	
	at Bottom	8 turns out
30	40	22
29	39	21
28	38	20
27	37	20
26	36	19
25	35	18
24	34	17
23	33	16
22	32	16
21	30	15
20	29	14
19	28	13
18	27	12
17	26	11
16	25	11
15	24	10
14	23	9

*Draw Length and Draw Weights are approximate. May vary.

Mini Burner {40#}

"Performance" Cable Setting				"Grow With You" Cable Setting			
Setting	Draw Length	Draw Weight		Setting	Draw Length	Draw Weight	
		at Bottom	10 Turns Out			at Bottom	10 Turns Out
A-L	261/2	40	18.7	A-L	261/2	37.5	17.0
B-L	26	40	17.8	B-L	26	37.5	16.1
C-L	251/2	40	16.5	C-L	251/4	37.5	15.2
D-L	25	40	16.4	D-L	243/4	37.5	14.3
E-L	241/2	40	15.9	E-L	24	36.6	13.8
F-L	23 3/4	40	15.5	F-L	231/2	36.6	13.4
G-L	23	40	14.5	G-L	23	36.6	12.5
H-L	221/2	40	14.8	H-L	22	36.6	11.6
1-L	213/4	40	14.3	1-L	211/2	35.7	11.2
C-S	211/2	40	13.3	C-S	211/4	35.7	10.7
J-L	21	40	12.9	J-L	21	33.9	10.3
E-S	201/4	40	12.4	E-S	20	33.9	9.8
D-S	191/2	40	11.9	D-S	191/2	33.9	9.2
G-S	19	40	11.4	G-S	19	31.3	8.5
F-S	181/2	40	10.5	F-S	181/4	31.3	7.8
1-S	17 3/4	40	10.5	1-S	171/2	31.4	7.6
H-S	171/4	40	10.5	H-S	17	31.4	6.7
J-S	16	40	10.5	J-S	16	26.6	4.4

*Draw Length and Draw Weights are approximate. May vary.

Micro Midas (29#)

Module Setting	Draw Length	Draw Weight (lbs)	
		at Bottom	Sturns out
24	24 3/4	29.0	14.0
231/2	24 1/2	28.6	13.7
23	23 7/8	28.1	13.3
221/2	23 1/4	27.7	13.0
22	22 7/8	27.2	12.6
211/2	22 1/4	26.8	12.3
21	21 3/8	26.3	11.9
201/2	20 3/4	25.9	11.6
20	20 3/8	25.4	11.2
191/2	19 3/4	25.0	10.9
19	19 1/4	24.5	10.5
181/2	18 3/4	24.1	10.2
18	18 3/8	23.6	9.8
171/2	17 3/4	23.2	9.5
17	17	22.7	9.1
161/2	16 7/8	22.3	8.8
16	16	21.8	8.4
151/2	15 5/8	21.4	8.1
15	15 1/2	20.9	7.7
141/2	14 3/4	20.5	7.4
14	14 1/4	20.0	7.0

*Draw Length and Draw Weights are approximate. May vary.